

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date  
8 January 2004 (08.01.2004)

PCT

(10) International Publication Number  
**WO 2004/004368 A1**

(51) International Patent Classification<sup>7</sup>: **H04Q 3/00**

(21) International Application Number: PCT/EP2003/006693

(22) International Filing Date: 25 June 2003 (25.06.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data: 02014231.1 26 June 2002 (26.06.2002) EP

(71) Applicant (for all designated States except US): ALCA-TEL [FR/FR]; 54, rue la Boétie, F-75009 Paris (FR).

(72) Inventor; and

(75) Inventor/Applicant (for US only): KOTAR, Peter-Christos [AT/DE]; Käthe Kollwitz Weg 4, 73207 Plochingen (DE).

(74) Agents: RAUSCH, Gabriele et al.; Alcatel, Intellectual Property Department, 70430 Stuttgart (DE).


(81) Designated States (national): CN, JP, US.

**Declaration under Rule 4.17:**  
— of inventorship (Rule 4.17(iv)) for US only

**Published:**  
— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A METHOD FOR PROVIDING SERVICES LOCATED IN A CONNECTIONLESS DATA PACKET NETWORK TO TERMINALS OF A CONNECTION ORIENTED COMMUNICATIONS NETWORK



**WO 2004/004368 A1**

(57) **Abstract:** The invention concerns a method for providing services located in a connectionless (data) packet network to terminals of a connection oriented communications network, comprising a signalling network for the control of network nodes (LEX, TEX) within said communications network, with a gateway (MGW) connecting said communications network (CN) to said packet network (DN), wherein a terminal (TE1) of the communications network (CN) generates a data packet, comprising a communications network address of said gateway (MGW) in a header and a service information for a server (SER) of the packet network (DN), the terminal (TE1) transmits said data packet to the communications network (CN) over a signalling channel, in the communications network (CN) said header is evaluated and the data packet is forwarded to the gateway (MGW) over said signalling network and the media gateway (MGW) extracts the service information and generates a corresponding protocol information to be forwarded to said server (SER) over the packet network (DN), and a terminal (TE1, TE2), a program module and a server system (SC) for downloading said program module therefore.